Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	47	(US-6421538-$ or US-5828956-$ or US-5784362-$ or US-5778316-$ or US-5768689-$ or US-5768276-$ or US-5749052-$ or US-5748742-$ or US-5172414-$ or US-6330333-$ or US-5727064-$ or US-5594797-$ or US-5734977-$ or US-5663957-$ or US-5640395-$ or US-5604744-$ or US-5603081-$ or US-5594795-$ or US-5148485-$ or US-5590133-$ or US-5400390-$ or US-5371781-$ or US-4817146-$ or US-5305384-$ or US-5265093-$ or US-5091942-$). did. or (US-5081679-$ or US-5060266-$ or US-4555805-$ or US-4549308-$ or US-4411017-$ or US-4788712-$ or US-6192255-$ or US-5325419-$ or US-5524134-$ or US-5168522-$ or US-4969180-$ or US-5140635-$ or US-5003598-$ or US-4972479-$ or US-4920567-$ or US-4914696-$ or US-4908848-$ or US-4901348-$ or US-4893339-$ or US-4882751-$).did. or (EP-178608-$).did.	USPAT; DERWENT	OR	ON	2005/12/26 14:37
L2	47	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert$3 battery light$3 display$3 LED flash$3 secur$3 hlr home locat$3 handover hand over hand-over foreign) and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 14:39
L3	46	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert$3 battery light$3 display$3 LED flash$3 secur$3 hlr home locat$3 handover hand over hand-over foreign) and L1 and (handover hand over hand-over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 14:39
L4	46	L1 and (handover hand over hand-over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 14:39

L5	5	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert$3 battery light$3 display$3 LED flash$3 secur$3 hlr home locat$3 handover hand over hand-over foreign) and L1 and (handover hand-over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 14:39
L6	4	(("5878036") or ("5767778")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 14:57
L9	0	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert$3 battery light$3 display$3 LED flash$3 secur$3) and L1 and vibrat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:38
L10	356	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and vibrat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:41
L11	158	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and vibrat$3 and display and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:41
L12	51	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and vibrat$3 and display and battery and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:41
L13	0	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and vibrat$3 and display and battery and gsm and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:41
L14	7	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and vibrat$3 and display and battery and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 16:24
L15	578	380/270.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 16:25

L16	30	380/272.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 16:25
S1	11143	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:40
S2	1103	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:30
S3	260917	(station) and (phone device) and (signal$3 transmission transmit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:33
S5	1103	(mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:33
S6	260917	(station) and (phone device) and (signal$3 transmission transmit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:38
S7	417	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:33
S8	13785	(mobile cellular GSM Wireless RF) adj (station) and (phone device) near3 (mobile cellular GSM Wireless RF) and (signal$3 transmission transmit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:38
S9	2221	(mobile cellular GSM Wireless RF) adj (station) and (phone device) near3 (mobile cellular GSM Wireless RF) and (signal$3 transmission transmit$4) and ($2crypt$3 $2cipher$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:32
S11	49	S9 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 15:40
S12	20	("5748742").URPN.	USPAT	OR	ON	2005/12/24 16:40

S13	2	("5153919" | "5172414").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/24 16:43
S14	25	("5172414").URPN.	USPAT	OR	ON	2005/12/24 17:11
S15	2	("5,148,485").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/24 17:21
S16	2	("4,817,146").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/24 17:21
S17	49	(mobile cellular GSM Wireless RF) adj (station) and (phone device) near3 (mobile cellular GSM Wireless RF) and (signal$3 transmission transmit$4) and ($2crypt$3 $2cipher$3) and (mobile cellular GSM Wireless RF) with ($2cipher$3 $2crypt$3 $2scrambl$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:32
S18	230	(mobile cellular wireless handheld) adj (phone device apparatus communicator) same tone same (light LED flash$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:35
S19	6	(mobile cellular wireless handheld) adj (phone device apparatus communicator) same tone same (light LED flash$3) and @ay <="1994"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:37
S20	8	(mobile cellular wireless handheld) adj (phone device apparatus communicator) same tone same (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:42
S21	78	(mobile cellular wireless handheld) adj (phone device apparatus communicator) and ($2cipher$3 $2crypt$3) and display and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:44
S22	2	(mobile cellular wireless handheld) adj (phone device apparatus communicator) and ($2cipher$3 $2crypt$3) and ($2cipher$3 $2crypt$3) adj mode and display and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:58

S23	2	(mobile cellular wireless handheld) adj (phone device apparatus communicator) and ($2cipher$3 $2crypt$3) and ($2cipher$3 $2crypt$3) adj mode and display and battery and (light LED flash$3) and @ay <="1994"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:45
S24	2	(mobile cellular wireless handheld) adj (phone device apparatus communicator terminal) and ($2cipher$3 $2crypt$3) and ($2cipher$3 $2crypt$3) adj mode and display and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 18:59
S25	3	(mobile cellular wireless handheld) adj (phone device apparatus communicator terminal) and ($2cipher$3 $2crypt$3) and ($2cipher$3 $2crypt$3) near3 (mode status alert) and display and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:00
S26	9	(mobile cellular wireless handheld) adj (phone device apparatus communicator terminal) and ($2cipher$3 $2crypt$3 secur$3) and ($2cipher$3 $2crypt$3 secur$3) near3 (mode status alert) and display and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:02
S27	300	(mobile cellular wireless handheld) adj (phone device apparatus communicator terminal) and ($2cipher$3 $2crypt$3 secur$3) and (mode status alert) and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:02
S28	88	(mobile cellular wireless handheld) adj (phone device apparatus communicator terminal) and ($2cipher$3 $2crypt$3 secur$3) same (mode status alert) and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:04
S29	29	(mobile cellular wireless handheld) adj (phone device apparatus communicator terminal) and ($2cipher$3 $2crypt$3) same (mode status alert) and battery and (light LED flash$3) and @ay <="1995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:13
S30	47	("4411017").URPN.	USPAT	OR	ON	2005/12/24 19:13
S31	37	("4411017").URPN. and @ay <="1995"	USPAT	OR	ON	2005/12/24 19:35

S32	34	("4411017").URPN. and @ay <="1994"	USPAT	OR	ON	2005/12/24 19:13
S33	34	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert battery light LED flash$3 secur$3) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:14
S34	34	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert battery light display LED flash$3 secur$3) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:30
S35	34	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert$3 battery light$3 display$3 LED flash$3 secur$3) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 19:41
S36	47	(US-6421538-$ or US-5828956-$ or US-5784362-$ or US-5778316-$ or US-5768689-$ or US-5768276-$ or US-5749052-$ or US-5748742-$ or US-5172414-$ or US-6330333-$ or US-5727064-$ or US-5594797-$ or US-5734977-$ or US-5663957-$ or US-5640395-$ or US-5604744-$ or US-5603081-$ or US-5594795-$ or US-5148485-$ or US-5590133-$ or US-5400390-$ or US-5371781-$ or US-4817146-$ or US-5305384-$ or US-5265093-$ or US-5091942-$). did. or (US-5081679-$ or US-5060266-$ or US-4555805-$ or US-4549308-$ or US-4411017-$ or US-4788712-$ or US-6192255-$ or US-5325419-$ or US-5524134-$ or US-5168522-$ or US-4969180-$ or US-5140635-$ or US-5003598-$ or US-4972479-$ or US-4920567-$ or US-4914696-$ or US-4908848-$ or US-4901348-$ or US-4893339-$ or US-4882751-$).did. or (EP-178608-$).did.	USPAT; DERWENT	OR	ON	2005/12/24 19:41
S37	47	(mobile cellular wireless handheld phone device apparatus communicator terminal $2cipher$3 $2crypt$3 mode status alert$3 battery light$3 display$3 LED flash$3 secur$3) and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 15:38